









Integral Forged Tees, Crossovers, Elbows, Wyes, Laterals and Crosses

Integral Forged Tees, Crossovers, Elbows, Wyes, Laterals and Crosses are based on the technology from FMC. All of them are made of high strength alloy steel and heat-treated to enhance load-bearing capacity and lengthen service life. Performances and strength are field-proven.

These robust integral forged fittings are ideal for handling a complete range of standard and sour gas well servicing fluids at pressures up to 15,000 psi.

Type	End Connection	Working Pressure	Size
Short Elbows 	FxM, MxM, FxF Welded Connector	6,000 psi (42MPa)	2", 3", 4"
		10,000 psi (70MPa)	
		15,000 psi (105MPa)	2", 3"
90° Long Elbows 	FxM, MxM, FxF	6,000 psi (42MPa)	2", 3", 4"
		10,000 psi (70MPa)	
		15,000 psi (105MPa)	2", 3"
Tees 	FMF, FMM, FFM, FMM, MMM, FFF Welded Connectors	6,000 psi (42MPa)	2", 3", 4"
		10,000 psi (70MPa)	
		15,000 psi (105MPa)	2", 3"
Crosses 	FFFF, FFMF, FFMM, FMMM, FMMF, MMMM, Welded Connectors	6,000 psi (42MPa)	2", 3", 4"
		10,000 psi (70MPa)	
		15,000 psi (105MPa)	2", 3"
Wyes 	MxFxF, welding type	6,000 psi (42MPa)	2", 3", 4"
		10,000 psi (70MPa)	
		15,000 psi (105MPa)	2", 3"
Laterals 	MxFxF, FxFxF, Welded connectors	6,000 psi (42MPa)	2", 3", 4"
		10,000 psi (70MPa)	
		15,000 psi (105MPa)	2", 3"
Fishtails (Four-way laterals) 	MxFxFxF	10,000 psi (70MPa)	2", 3"
		15,000 psi (105MPa)	
Straight Crossovers 	FxM, FxF, MxF, BxF, MxP, Flange x Unions and Welded Connectors	FIG602-FIG1002	2"x3"
		FIG602-FIG1502	2"x4"
		FIG1002-FIG1502	3"x4"